



# 1. Application

KOMFORTEX<sup>®</sup> Softborder are used besides outdoor stalls and pens, washing bays and paddocks.

KOMFORTEX<sup>®</sup> Softborder is made from selected recycled rubber material which is highly flexible (90°), easy to cut, highly resistant to outdoor weathering and provides maximum protection against injuries.

### 2. Material

Rubber granulate: Binding agent:	granulated recycled SBR rubber MDI polyurethane
3. Characteristics	
Colour:	Reddish brown, green, grey or black
	(Minor colour variation possible)
Surface:	smooth with open pores
	One side has anchoring grooves near lower edge
	Two connector pins for connection to adjacent elements.

## 4. Dimensions / Tolerances

L x W x T:	1000 x 250 x 50 mm
Tolerances:	length, width: +/- 0,8%, thickness: +/- 2 mm
Weight:	approx. 11,0 kg

## 5. Test Data

Abrasion resistance:	rV 5,9	(DIN 18035)
Fire resistance:	E	(DIN EN 13501-1, 2007)
Chemical resistance:	conditionally resistant to acids and bases	
Cold fracture resistance:	24h / -40°C, no fractures	
Cold crack resistance:	5h / -30°C, no cracks	5

## 6. Installation

Insert KOMFORTEX<sup>®</sup> Softborder elements in prepared fresh concrete bed (grade: B15), forming concrete to a slope 10 cm high on both sides of the edging elements. Be certain that the anchoring grooves are covered by the concrete.

Apply 1-component PU adhesive cement on mating surfaces of elements to be connected. Join the elements using the connector pins supplied.

All information without guarantee, subject to change. The Data Sheet is not subject to any change service. Each current and valid from can be recalled at www.kraiburg-relastec.com/euroflex







