



IMPACT PROTECTION SLABS & ACCESSORIES


for Playgrounds and Multipurpose Sports Facilities




EUROFLEX®




Playgrounds



Leisure parks



Climbing



Schools & kindergartens




Multipurpose sports surfaces










Outdoor Fitness

Applications & EPDM colour range



EPDM 01 standard colours

 RAL 1014 beige	 RAL 1015 eggshell
 RAL 1002 yellow	 RAL 6021 green
 RAL 3016 red	 RAL 5015 blue
 RAL 7038 grey	

EPDM 02 special colours


 RAL 7037 medium grey	 RAL 7011 dark grey
 RAL 4005 lilac	 RAL 5012 bright blue
 RAL 5010 dark blue	 RAL 5018 turquoise
 RAL 6005 dark green	 RAL 6017 bright green
 RAL 2008 bright orange	 RAL 1012 bright yellow
 RAL 4003 pink	 RAL 3017 bright red
 RAL 8025 brown	 RAL 8024 beige-brown

EPDM 03 mixed colours

 SPRING	 SUMMER
 FALL	 WINTER
 DESERT	 OCEAN
 URBAN	



Fall heights & advantages



Tested quality – that is our promise!

The use of shock-absorbent floor systems is necessitated by the requirements of DIN EN 1177:2018. This standard requires shock-absorbent flooring for a fall height of 60 cm or more. The suitability of Impact Protection Slabs made of bonded, permanently elastic recycled rubber granules is documented by a test certificate. The impact attenuation is tested using the HIC method.

All EUROFLEX® Impact Protection Slabs are tested in accordance with DIN EN 1177:2018 to determine the HIC value.




Tested Quality

ISO 9001 certified, Compliance with impact protection standards EN 1177:2018



Environment-friendly manufacturing process

high recycling rate



Integrated connector pins

secure slabs against accidental displacement and theft; time-saving installation



High anti-slip properties

due to granular structure; Water permeability prevents puddling



Great freedom for design

numerous standard and EPDM colours, multicolor, motifs, letters, numbers




Outstanding durability

frost-proof and rot-proof




High elasticity

for cushioning shocks / falls and for a pleasant walking sensation



Impact sound insulation

for a quiet environment



Complete traceability

of the raw-materials through to the final product by using stickers with production codes on every single slab




Wide range of peripheral accessories

balls, half balls, cubes, diamonds, stepper, mushrooms, animals

Fall height [m] / slab thickness [mm]

Please contact us for the ASTM-reports





Impact protection slabs



Highest safety performance since more than 40 years!

EUROFLEX® Impact Protection Slabs guarantee the highest safety standard on playgrounds – for the past 40 years. They allow children to romp about happily, without risk of injury. EUROFLEX® Impact Protection Slabs offer effective protection when children jump or fall to the ground by attenuating the impact and therefore reducing the risk of injury.

EUROFLEX® impact protection solutions at a glance

Impact Protection Slab made from recycled rubber granules

Impact Protection Slab made from recycled rubber granules with numbers, letters & motifs

Visual System (individually printed surface + impact protection slab)

Impact Protection Slab with EPDM / EPDM Multicolor top coat

Aqua Impact Protection Slab (with EPDM top coat)

Impact Protection Slab with EPDM Mulch top coat

NEW!
EUROFLEX® Xtreme
Soft Touch (slab with stable, soft grid)
With impact protection


Soft Grip (slab with rough grid)
Without impact protection

EUROFLEX® XTREME



EUROFLEX® Impact Protection Slabs & edge and corner profiles made of recycled rubber granules

The shock absorption of EUROFLEX® impact protection slabs provides safety without sacrificing reliability and durability. Independent of weather or extreme temperatures children can always play carefree. EUROFLEX® impact protection slabs are TÜV approved according to DIN EN 1177:2018. Edge and corner profiles are significantly improving the safety around surfacing systems by reducing the danger of tripping. Another important benefit: They allow access with wheelchairs and pushchairs.




Impact Protection Slab standard red

length / width 500 x 500 mm / 500 x 250 mm
1,000 x 500 mm (only for 40, 50 mm thickness)

colours red/green/black/grey

other pre-installed connector pins included

max. fall height [m]	thickness [mm]	dimensions [mm]	weight ca. [kg/pcs.]
1.00	30	500 x 500	5.3
1.00	30	500 x 250	2.7
1.20	40	500 x 500	6.7
1.20	40	500 x 250	3.3
1.20	40	1,000 x 500	13.3
1.50	50	500 x 500	7.8
1.50	50	500 x 250	3.9
1.50	50	1,000 x 500	15.5
1.60	55	500 x 500	8.1
1.70	60	500 x 500	9.1
2.10	70	500 x 500	10.3
2.10	70	500 x 250	5.2
2.40	80	500 x 500	11.8
2.40	80	500 x 250	5.9
2.60	80	Softsystem	9.3
3.00	90	Softsystem	10.5



Edge and Corner Profiles (also available with EPDM coating)

length / width edge and corner profiles: 1,000 x 250 mm

heights 30/10, 40/10, 50/20, 70/20, 80/20, 90/20

colours red/green/black/grey
also available with EPDM coating



Accessibility

Thanks to our edge and corner profiles, all impact protection slabs can be installed barrier-free.



Protect slab (for slides & swings)

length / width / height 1,000 x 1,000 x 40 mm

fall height 1.30 m

colours red/green/black/grey

other three connectors/clamps are supplied free of charge per slab.




EUROFLEX® Impact Protection Slabs with letters, numbers and symbols

The EUROFLEX® letter and number slabs are ideal for designing playgrounds in schools, kindergartens and day care facilities and provide educational enhancement for all play and sports areas, as well as amusement parks. EUROFLEX® design slabs – alone or in combination with letter and number slabs – provide exciting design options. Areas with themes like e.g. farmhouse, star or sea can be created.




Impact Protection Slab with letters and numbers

length / width	500 x 500 mm
fall heights	please see page 5
colours	lower side: red/green letters/numbers: EPDM inlays in blue/red/grey
available	numbers 0-9, letters A-Z
other	pre-installed connector pins included



Impact Protection Slab with symbols





length / width	500 x 500 mm
fall heights	please see page 5
available colours	slabs with symbols are only available in colour combinations shown above
other	pre-installed connector pins included




EUROFLEX® Impact Protection Slabs EPDM, Multicolor, Mulch

EUROFLEX® EPDM impact protection slabs enable unlimited colour design. They fulfill highest safety performance in accordance to EN 1177:2018, provide personalized colour patterns and stimulate childrens' creativity. **The Impact Protection Slabs EPDM are available in all EPDM colours, Mulch is only available in the two colours shown below.**







Impact Protection Slab EPDM




Impact Protection Slab EPDM Multicolor – up to three individual colours





Impact Protection Slab EPDM Mulch – with mulch structure



example 3 colours



example 2 colours

beige-brown

light green - dark green

Mix your own color!





kraiburg-relastec.com/euroflex/en/color-mixer

max. fall height [m]	thickness [mm]	dimensions [mm]
1.00	30	500 x 500
1.20	40	500 x 500
1.40	50	500 x 500
1.60	55	500 x 500
2.10	70	500 x 500
2.40	80	500 x 500
3.00	90	Softsystem



EUROFLEX® Soft Touch

With EUROFLEX® Soft Touch, a stable, close-meshed grid is pressed into our tried-and-tested impact protection slab made of recycled rubber granulate, which has a smooth, soft surface. Typical areas of use are highly stressed, abrasion-sensitive areas on playgrounds, such as slide runs, swings or roundabouts. The board is also ideal for outdoor fitness, calisthenics or parkour.



playgrounds



calisthenics



parkour



swimming pools

max. fall height [m]	thickness [mm]	dimensions [mm]
1.00	30	500 x 500
1.20	40	500 x 500
1.50	50	500 x 500
1.60	55	500 x 500
2.00	70	500 x 500
2.30	80	500 x 500
2.80	90	Softsystem
3.00	100	Softsystem



EUROFLEX® Xtreme brochure

Do you need more information about Soft Touch and Soft Grip? Please download our brochure.





EUROFLEX® Aqua Impact Protection Slabs

EUROFLEX® aqua impact protection slabs are suitable as shock-absorbing surface cover for water playgrounds and spray parks. These slabs combine the safety aspect with all the EPDM options shown on page 13. **It meets the standard DIN EN 1177, which mandates a certified fall height from total fall heights > 600 mm** (according to DIN EN 17232:2019 Water play equipment and features – Safety requirements, test methods and operational requirements).

Certified fall height 0.9 m, according to DIN EN 1177:2018
obligatory for total drop heights > 600 mm!

Anti-slip according to DIN 51097:1992-11,
Evaluation group C




high abrasion resistance, rapid
drying and low heating

UV-resistant according to
EN ISO 1297, DIN EN ISO 3386-2

Chlorine and salt water resistant,
according to DIN EN ISO 175 and 3386-2

Aqua Impact Protection Slab – especially for wet areas

max. fall height [m]	thickness [mm]	dimensions [mm]
0.90	30	500 x 500






The best of both worlds

EUROFLEX® impact protection slabs have been proving their worth for many years thanks to their high impact protection values for children's playgrounds. Although our EPDM impact protection slabs and their various designs already offer numerous design possibilities, there are still limits. With our new EUROFLEX® Visual System you can now print individual designs with pixel precision – in virtually any shape and size! From motifs such as stones, lawns, wooden floors, sea and jungle to your own logos, corporate design colours or lines, everything is possible!



More information in our Visual System brochure

Visual System (comfort) –
with individually printed surface



approved fall
height up to 3.0 m

EUROFLEX® Visual System (in-/outdoor)

Printed surface with impact protection slabs



seamless surface covering with
individual motif (rolls)

adhesive



EUROFLEX® slab, **without chamfer** (30–80 mm thickness or Soft-system) **for a seamless surface**

concrete base

- Tested Quality (ISO 9001 certified, Compliance with impact protection standards EN 1177:2018)
- Easy cleaning due to a seamless surface
- High elasticity & walking comfort for cushioning shocks and falls
- Impact sound insulation for a calm room ambience
- High anti-slip properties R10 due to surface covering



Tested Quality



Easy cleaning




Integrated
connector pins



fire protection class
B_{fl}-s1

Fall height [m] / slab thickness [mm]



Airports



Shopping
centers



Exhibitions



Climbing
halls



Children's
playgrounds



Kindergartens &
schools



Saint Etienne, France (Concept and realisation by Pro Urba, photographer: Philippe Turpin)



StadtPalais Stuttgart, Germany



Centre Manor Chavannes, Geneva, Switzerland (concept and realisation by Pro Urba)



Kansas City Airport, USA



Hotel Grünauerhof, Salzburg, Austria



Children's Centre Bielefeld, Germany

Design: Courtesy of Samuelis Baumgarte Art Consulting for the Bethel Children's Centre / Photographer: Thomas Starke




Staller Ferienhof, Seon-Seebruck, Germany



Impact sound improvement: 20 dB

EUROFLEX® Visual System comfort (indoor)

Printed surface with elastic layer




seamless surface covering with individual motif (rolls)

adhesive


elastic layer (4 mm) (rolls)

adhesive


concrete base




Impact sound improvement (-20 dB)



Easy cleaning



High anti-slip properties (R10)



fire protection class C_f-s1

WITHOUT IMPACT PROTECTION



Surfacing systems

For recreational and sports facilities

Safety is of utmost importance in recreational activities and sports. Modern surfacing systems for multipurpose sports facilities provide essential cushioning protection for players' joints and ligaments. They also provide other benefits: they can be played on under almost all weather conditions and reduce noise levels.

EUROFLEX® Sports Pavement Slabs

EUROFLEX® sports pavement slabs are highly compacted in manufacturing, giving them excellent abrasion resistance and outstanding ball rebound properties in accordance with DIN 18032 Part 2. Their high elasticity provides cushioning for players' ligaments and joints. The product is tested according to DIN EN 14877:2013 (European standard for plastic surfaces on outdoor sports facilities).



Sports Pavement Slab (for multipurpose areas)

dimensions	500 x 500 x 30 mm (99% ball reflexion)
	500 x 500 x 40 mm (101% ball reflexion)
	1,000 x 500 x 40 mm (101% ball reflexion)
colours	red/green/black/grey
sound deadening	23 dba
fall height	30 mm: 0.90 m; 40 mm: 1.10 m

Also ideal for mobile applications!



EUROFLEX® Elastic Pavement Blocks & Paving Block Tiles

These products offer the familiar appearance of paving stones, but unlike concrete they are elastic and non-slip. Furthermore, they dry faster after rain. They are the ideal floor coverings for **footpaths in rehabilitation centres, day-care centres, retirement homes, hospitals, outdoor fitness parks and golf courses**. The elastic plaster is tested for „high stress“.




Elastic Pavement Blocks

dimensions	full blocks: 200 x 165 x 43 mm
	half blocks: 100 x 165 x 43 mm
	starter: 200 x 140 x 43 mm
need/m²	35 pcs.
colours	red/green/black
fall height	1.00 m



Paving Block Tile

dimensions	500 x 500 x 40 mm
colours	red/green/black/grey
fall height	1.10 m





Playground accessories




Tested quality

tested according to EN 71/3, tested safety according to the German Equipment Safety Act, fire test, special abrasion tests



Environmentally friendly production

high recycling rate



High-quality raw materials

High-quality granulates and binding agents



High slip resistance

for balancing on balls, half balls, dice and on steppers



High resistance

against frost and weathering




Clear, natural design

Attractive, simple, stable shapes



High elasticity

minimizes the risk of injury during balancing and climbing on playground accessories





Many design options

numerous standard and EPDM colors, multi-color, motifs, letters, numbers


Make every playground an experience!

Whether in schools and kindergartens, amusement parks, sports facilities or playgrounds: EUROFLEX® accessories turn every play area into an experience. They offer children space for creativity and imagination and provide a wide range of play and movement options. These accessories are not only enhancing your play space with individual and colourful design options but also compliment the EUROFLEX® impact protection slabs. Rubber as a material ensures a pleasant seat, dries quickly, is weather-resistant and soft.




EUROFLEX® Balls & Half Balls

EUROFLEX® Balls and Half Balls are highly successful design components for distinctively remarkable playgrounds. They are suitable for playgrounds, as well as seating or border elements in pedestrian areas. They are also perfect as climbing and balancing elements.




Balls and Half Balls (recycled rubber granules)

dimensions	Ø 345 / 500 / 695 mm
colours	standard: red/green/black/grey EPDM: see page 3
accessories	to be ordered separately: outdoor areas: ground anchor + adhesive indoor areas: metal plate 300 x 300 x 4 mm + adhesive





balls & half balls EPDM




ball EPDM multicolor (2 or 3 colours)



Caterpillar Head

The EUROFLEX® caterpillar head is a design element that can be used to combine half balls and balls to form a caterpillar. This element in combination with EUROFLEX® half balls and balls offer children seating accommodations and play opportunities. It can be extended by any number and size of EUROFLEX® balls or half balls. The eyes are already glued on, the feelers must be glued on after delivery. The caterpillar adds a friendly face to every playground.



caterpillar
euroflex®

Dimensions	half ball with Ø 695 mm
Colours	half ball: EPDM colours: see page 3 feeler: EPDM bright green RAL 6017 or EPDM bright yellow RAL 1012 eyes: EPDM dark blue RAL 5010 or EPDM bright red RAL 3017




Diamond

EUROFLEX® diamond is a design element that can be used as a seat, balancing element or demarcation element. It provides another geometric design feature that complements the EURO-FLEX® cubes, balls and half balls.

Dimensions	Full diamond length x width x height: 500 x 500 x 450 mm Half diamond length x width x height: 500 x 500 x 225 mm
-------------------	--

Colours	red/green/black/grey EPDM colours; see page 3 available as EPDM glitter version on request
----------------	--







EUROFLEX® S-Block and C-Block

EUROFLEX® S-Block and C-Block are incredibly flexible design elements that can be used as a seat, balancing element or demarcation element. They can be put on top of each other to create cool geometric shapes that children will love.

Dimensions	S-Block length x width x height: 805 x 788 x 150 mm
	C-Block length x width x height: 630 x 945 x 150 mm detailed dimensions in our data sheet

Colours	red/green/black/grey EPDM colours; see page 3
----------------	--

Examples



Designed by Coryn Kempster and Julia Jamrozik

EUROFLEX® animals and mushrooms

Imaginative play equipment or exciting seating options. They can be used for more than just play things but can be used also as little islands in playgrounds and kindergardens.



elephant, pony, dromedary, rhinoceros

dimensions L x W x H	elephant: 560 x 190 x 395 mm rhinoceros: 700 x 250 x 400 mm dromedary: 750 x 200 x 510 mm pony: 580 x 200 x 470 mm base plate: ø 700 mm
colours	EPDM: see page 3
accessories	to be ordered separately: outdoor areas: per animal 2 ground anchors with adapter (including screw-in bar and adhesive) indoor areas: 1 base plate (including adhesive)



mushrooms

Ø stem	255 mm
height stem	200 / 300 / 400 / 500 mm
colour stem	red
Ø cap	450 mm
height cap	150 mm
colours cap	EPDM red, green, yellow, blue
accessories	to be ordered separately: per mushroom 1 ground anchor with adapter (including adhesive)






EUROFLEX® Cubes

EUROFLEX® cubes are highly successful design components for distinctively noticeable playgrounds. They are suitable for playgrounds, as well as seating or border elements in pedestrian areas. They are also perfect as climbing and balancing elements.



Cube (recycled rubber granules)



Cube EPDM

dimensions	400 x 400 x 400 mm
colours	standard: red/green/black/grey EPDM: see page 3
other	The cubes can be ordered with 4 ground anchors or without integrated ground anchor





EUROFLEX® Modular Sandbox Edging & Stepper

Playing in a sandbox is one of children's favourite activities. The EUROFLEX® modular sandbox edging is the ideal supplement for separating the sandbox from the remainder of the playground. The soft rubber surface offers active all-round protection and protects children from painful and serious injuries (opposed to slippery and hard wooden or concrete sandbox edges). The use of separate retaining wall elements allows for a high degree of / design freedom regarding the shape and access for sand replacement machinery.

Steppers are balancing elements with 4 different heights for fitness and play areas. They promote balance and co-ordination skills in a playful way. The easy-to-install base socket provides stable support and facilitates installation and removal.



with internal steel reinforcement for extremely high stability

Modular Sandbox Edging

dimensions	1,150 x 150 x 300 mm
colours	red/green/black/grey
Sonstiges	double steel reinforcement guarantees excellent material stability of the pivot joints
accessories	plastic connector pins included, anchoring piles 60 / 100 cm to be ordered separately

Stepper

diameter	Ø 255 mm
heights	200 / 300 / 400 / 500 mm
colour	red/green/black/grey
accessories	ground anchor with adapter (including screw-in bar and adhesive) to be ordered separately



Peripheral components



Safety all over – even in the smallest details!


Although the playing surface is the obvious center of attention in playgrounds, sports and recreational facilities, it is not the only area where impact protection makes a difference. Edge and corner profiles are ideal to avoid trip hazards. Other borders can be used to define lawn areas or to cover hard concrete edges. Border elements can also be combined with balancing elements.





EUROFLEX® Step Blocks

- edging of jumping pits and playgrounds
- boards and peripheral enclosures around sports surfaces
- stairways, e.g. for downhill slopes or slides
- spectator standing or seating areas
- customized seating arrangements




dimensions
1,000 x 300 x 150 mm
1,021 / 785 x 300 x 150 mm
(1/8 circular arc section r=1 m)
1,000 x 240 x 120 mm

colours
standard: red/green/black/grey
EPDM: see page 3

EUROFLEX® Lawn Edging

Ideal bordering for impact protection slabs, sandboxes, walkways or edge trim for trees and bushes.




dimensions
1,000 x 250 x 50

colours
red/green/black/grey
also available with EPDM top trim
(see page 3)

EUROFLEX® Protective Edging

Ideal for covering trampoline springs and frames. It provides effective protection against injuries that could be caused by impact on unprotected trampoline edges.



dimensions
1,000 x 250 x 50 mm

colours
standard: red/green/black/grey
EPDM: see page 3

EUROFLEX® Edge Protectors & Perimeter Panels

EUROFLEX® edge protectors provide reliable covering of all types of concrete edges, minimizing danger of injury in schoolyards, playgrounds and daycare centres.

With our EUROFLEX® perimeter panels, functional concrete areas can be covered



dimensions
edge protector: 1,000 x 400 x 45 mm
perimeter panel: 1,000 x 300 x 50 mm,
leg 160

colours
red/green/black/grey



EUROFLEX® Rubber Palisade

- edging for trees, shrubbery and flower beds
- support for slopes and embankments
- stairways, e.g. for downhill slopes or slides
- balancing walkways

dimensions

total height = 650 mm

(rubber part 400 mm + steel anchor 250 mm)

total height = 850 mm

(rubber part 600 mm + steel anchor 250 mm)

total height = 1050 mm


(rubber part 800 mm + steel anchor 250 mm)

colours

red/green/black/grey

quantity required

5 pcs./linear meter



The steel anchor extends 2/3 into the rubber palisade.
This ensures extremely high stability.





SUSTAINABILITY

Corporate Carbon Footprint, Product Carbon Footprint, Energy Management, Social and economic sustainability at KRAIBURG Relastec



Recycling of up to 60,000 t material

Every year, we process and recycle up to 60,000 tons of old tyres, closed-cell rubber and rubber production scrap.



Reduction of CO₂ emissions

By using recycled rubber granulate, we save more than 130,000 tonnes of CO₂ emissions per year compared to virgin rubber.



Corporate Carbon Footprint

The CCF was developed in accordance with the Greenhouse Gas Protocol audited.



Product Carbon Footprint

The PCF is calculated in accordance with ISO 14067 and ISO 14040/44 audited.



Energy management according to ISO 50001

Our energy management system is identified according to ISO 50001. Energy-relevant topics are taken into account in all processes of the organisation.

ecovadis

Voluntary rating

The ecovadis rating is an evaluation of companies with regard to CSR topics. This includes ethical aspects, sustainable procurement, the environment and ecological sustainability.



Member of NEW LIFE initiative

The declared aim of NEW LIFE is to demonstrate the advantages of recycled products from End-of-Life Tyres (ELT) to the media, politicians and the general public and to motivate them to act sustainably. More information: www.initiative-new-life.de/en



Social sustainability

Acting in accordance with our values such as equal opportunities, social responsibility, respectful treatment and transparency are the foundations for social sustainability in practice.



Economic sustainability

As a family business, KRAIBURG Holding pursues a long-term strategy. Profits generated are used to a significant extent to make our holistic business model ever more efficient and future-proof.



CORPORATE CULTURE

Defined values, social norms and guidelines, for common action and cooperation inside and outside KRAIBURG Relastec.



Equal opportunities

We stand for equal opportunity, diversity, inclusion and religious diversity.



Strong decision-making powers

We ensure speed in process handling, faster technology optimisations and lean processes.



Social responsibility

Fair pay, collective bargaining, further training, career development, work-life integration.



Responsible for our actions

We take responsibility for all decisions and results. Error acceptance is firmly anchored in our culture.



Respect

We are honest, reliable, respectful and trustworthy towards our colleagues and partners.



Transparency

We practice open, transparent cooperation both inside and outside the company.



WHAT SETS US APART



Internationality

With an export quota of over 50%, we have already exported our products to over 100 countries.



Easy complaint management

Transparent and optimised processes ensure rapid processing.



Flexibility with customer requirements

We offer our partners customised options for packaging, labelling and delivery, packaging, labelling and delivery.



Long-term relationships

We maintain long-term relationships with our customers and suppliers based on mutual respect and fairness.



Marketing support

We provide you with the best possible support in the form of images or in the design of your documents.



Personal contact persons

We do not hide behind support hotlines and contact forms. With us, you have personal, competent contact persons.



Product quality

Our products meet the highest quality standards. They are durable, a perfect fit and made from high-quality raw materials.



Innovation and product design

We continuously develop new products according to the requirements of our customers and the market.



IMPACT PROTECTION & PLAYGROUND ACCESSORIES FOR PLAYGROUNDS AND MULTIPURPOSE SPORTS FACILITIES

made from rubber granules

KRAIBURG Relastec GmbH & Co.KG
Fuchsberger Straße 4 · D-29410 Salzwedel

Sales:

Tel. +49 (0) 8683 701 -145 or -199

Fax +49 (0) 8683 701 -4145 or -4199

euroflex@kraiburg-relastec.com

www.kraiburg-relastec.com/euroflex/en

All rights reserved, all indications without engagement, subject to modifications.
© KRAIBURG Relastec GmbH & Co. KG 2024

