

ď が、安 **政府全班的** Ħ Q. 學學學 8 3 被學 KĮ. 即衛衛工 8 8 8 W 15 经经验的 智移問暫然 * Ç. 1 25 25 9 製 30 0 事を切る 받 e

のか

ş

12

ø

Ų

日田田

P

è

10

10

製

¥

138

N)

を記

容领

133

疆

破 96

おれ

H

湯器

W. 10

23 華

獭

85

X8

糖

84

18

7

報報

(\$)

財化

89

香 *

3

7

32

W.

*

¥

18

*

のかり

愆

脚

3

(4)

8 160 49

S

100

33

10

ŧ.

벌

2 1

Š 47

24

DR. 8

8

Ç.

30 8

90 19

RO

32 を対

100

45

æ

離

H

EX



.

#1 / Jan. 2024

日本 京 京 京 な ち

ののの

2

30 00

新品級教徒

10

经成次的按法的在公司的議的無犯的為

報 名 母 母 母 母 母 母 母

42

1

樓

1

聯

故學 然後

13

47

ø

100

10

4

ø

免職強者囚犯犯者在我的未必

7

설

學的

在我依察察

42

超祖祖

95

なおれる

高の合

為前者在后

を

á

500

u

Sie *

打我后在公在右

7

なる

ğ


品熟路無務

No.

日子

Made in Germany





With EUROFLEX® Soft Touch, a stable, close-meshed grid is pressed into our tried-and-tested impact protection slab made of recycled rubber granulate, which has a smooth, soft surface. Typical areas of use are highly stressed, abrasion-sensitive areas on playgrounds, such as slide runs, swings or roundabouts. The board is also ideal for outdoor fitness, calisthenics or parkour.











playgrounds calisthenics

parkour

swimming

Dimensions 500 x 500 mm	Thickness	30 mm	40 mm	50 mm	55 mm	70 mm		Softsystem 90 mm	Softsystem 100 mm
	Fall height	1.00 m	1.20 m	1.50 m	1.60 m	2.00 m	2.30 m	2.80 m	3.00 m





XTREME NON-SLIP SOFT **ABRASION RESISTANT** COLOUR STABLE 00% RECYCLABLE VERSATILE FALL PROTECTION ACC. DIN EN 1177:2018 LOW HEATING UP **QUICKLY INSTALLED**











SOFT GRIP



With EUROFLEX® Soft Grip, a stable, close-meshed grid is pressed into our tried-and-tested impact protection slab made of recycled rubber granulate, which has a rough surface. The product is used wherever extreme slip resistance is required, for example in harbour facilities, on boats, on walkways in hospitals and old people's homes or even on footbridges.

Dimensions 1,000 x 1,000 mm

Thickness 30 mm



walkways in care facilities




maritime sector




footbridges,




Sports with high stability requirements







NON-SLIP R12 WEATHERPROOF **ABRASION RESISTANT** COLOUR STABLE 00% RECYCLABLE WERSATILE **FAST DRYING** HIGH FIRE PROTECTION BFL-\$2











SUSTAINABILITY

Corporate Carbon Footprint, Product Carbon Footprint, Energy Management, Social and economic sustainability at KRAIBURG Relastec



CORPORATE CULTURE

Defined values, social norms and guidelines, for common action and cooperation inside and outside KRAIBURG Relastec.



Recycling of up to 60,000 t material

Every year, we process and recycle up to 60,000 tons of old tyres, closed-cell rubber and rubber production scrap.



Reduction of CO, emissions

By using recycled rubber granulate, we save more than 130,000 tonnes of CO₂ emissions per year compared to virgin rubber.



Corporate **Carbon Footprint**

The CCF was developed in accordance with the Greenhouse Gas Protocol audited.



Social responsibility

Equal opportunities

inclusion and religious diversity.

Fair pay, collective bargaining, further training, career development, work-life integration.

We stand for equal opportunity, diversity,



Respect

We are honest, reliable, respectful and trustworthy towards our colleagues and partners.



Strong decision-making powers

We ensure speed in process handling, faster technology optimisations and lean proces-



Responsible for our actions

We take responsibility for all decisions and results. Error acceptance and the strong will to correct and learn from them are firmly anchored in our culture.



Transparency

Internationality

We practice open, transparent cooperation both inside and outside the company.

WHAT SETS US APART



Product Carbon Footprint

The PCF is calculated in accordance with ISO 14067 and ISO 14040/44 audited.



Energy management according to ISO 50001

Our energy management system is identified according to ISO 50001. Energy-relevant topics are taken into account in all processes of the organisation.



Voluntary rating

The ecovadis rating is an evaluation of companies with regard to CSR topics. This includes ethical aspects, sustainable procurement, the environment and ecological sustainability.



Personal contact persons

We do not hide behind support hotlines and contact forms. With us, you have personal, competent contact persons.



Product quality

Our products meet the highest quality standards. They are durable, a perfect fit and made from high-quality raw materials.



We continuously develop new products according to the requirements of our customers and the market.



Easy complaint management

Transparent and optimised processes ensure rapid processing.

With an export quota of over 50%, we have alrea-

dy exported our products to over 100 countries.



Flexibility with customer requirements

We offer our partners customised options for packaging, labelling and delivery, packaging, labelling and delivery.



Long-term relationships

We maintain long-term relationships with our customers and suppliers based on mutual respect and fairness.



Marketing support

We provide you with the best possible support in the form of images or in the design of your documents



Member of NEW LIFE initiative

The declared aim of NEW LIFE is to demonstrate the advantages of recycled products from Endof-Life Tires (ELT) to the media, politicians and the general public and to motivate them to act sustainably. More information: www.initiative-new-life.de/en



Social sustainability

Acting in accordance with our values such as equal opportunities, social responsibility, respectful treatment and transparency are the foundations for social sustainability in practice.



Economic sustainability

As a family business, KRAIBURG Holding pursues a long-term strategy. Profits generated are used to a significant extent to make our holistic business model ever more efficient and futureproof.



Innovation and product design





Impact protection slabs with surface structure For extremely demanding areas

made from recycled rubber granules

KRAIBURG Relastec GmbH & Co.KG Fuchsberger Straße 4 · D-29410 Salzwedel

Sales:

Tel. +49 (0) 8683 701 -199 euroflex@kraiburg-relastec.com www.kraiburg-relastec.com/euroflex/xtreme

All information without guarantee. Subject to change without notice. © KRAIBURG Relastec GmbH & Co. KG 2024







