

Pos.	Quantity	Item	Unit price [Euro]	Sum [Euro]
		<p>KRAITEC® top drain plus is a profiled, fleece-lined structural protection and drainage mat. It offers a high drainage effect through and underneath the mat. It provides protection against mechanical damage on high-quality sealing layers and insulation within the meaning of DIN 18531.</p> <p>KRAITEC® top drain plus can be used on flat and green roofs, terraces and car park roofs. KRAITEC® top drain plus also provides an optimum protective function for gardening and landscaping.</p> <p>The profiled, fleece-lined structural protection mat made of rubber granulate, bulk density approx. 700-800kg/m³, normal flammability (E_{fl}) in acc. w. EN 13501 Part 1, is available at 12/8mm thicknesses.</p> <p>Processing in accordance with laying instructions</p> <p>Manufacturer: KRAIBURG Relastec GmbH & Co.KG Fuchsbergerstr.4, D-29410 Salzwedel, Tel. 0049/8683-701 167 Fax 0049/8683-701 4167</p>		

This data sheet is not subject to any updating service! All information is provided without liability.
The up-to-date valid version can be called up from www.kraiburg-relastec.de/kraitec

Pos.	Quantity	Item	Unit price [Euro]	Sum [Euro]
1.	_____	m ² KRAITEC® top drain plus structural protection rolls length = 10000mm, width = 1200mm, thickness d = 12/8mm. Deliver, unload from HGV and transport to installation site.		
2.	_____	m ² strips loosely jointed, lay with fleece overlap in offset pattern. (Observe laying instructions.)		
3.	_____	alternative: Delivery and lay m ² separation layer (type and necessity following consultation / approval of roofing strip manufacturer). Material: _____ Labour: _____		

Exclusion of liability:

We want to use this information to advise you to the best of our knowledge and belief on the basis of our tests and experience. However, KRAIBURG Relastec GmbH & Co. KG cannot provide a guarantee for KRAITEC® products for the laying results in individual cases due to the wide range of application possibilities and the storage, laying and construction site conditions, which are outside our influence. You should carry out your own tests. Our technical service would be pleased to assist you.

This data sheet is not subject to any updating service! All information is provided without liability.
The up-to-date valid version can be called up from www.kraiburg-relastec.de/kraitec